


BELLEVILLE SPRINGS SPECIFICATION FORM

When a compression spring application requires a high load in a small space Belleville washers provide a solution. The conical form of these springs enables them to support high loads with relatively small deflections and solid heights compared with helical springs. Belleville springs are often used to solve vibration, thermal expansion, relaxation and bolt creep problems.



ARRANGEMENT TYPE

| A. Single Disk | B. Parallel | C. Series | D. Series-Parallel |
|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| | | | |
| Load: _____ | Disks: _____ | Disks: _____ | Disks in Serie: _____ |
| @ <input type="checkbox"/> Deflection | Load: _____ | Load: _____ | Disks in Parallel: _____ |
| <input type="checkbox"/> Flat | @ <input type="checkbox"/> Deflection | @ <input type="checkbox"/> Deflection | Load: _____ |
| _____ | <input type="checkbox"/> Flat | <input type="checkbox"/> Flat | @ <input type="checkbox"/> Deflection |
| | _____ | _____ | <input type="checkbox"/> Flat |
| | | | _____ |

INDICATE UNITS OF MEASURE (IN & LB), (MM & N)

- MATERIAL _____
- THICKNESS (t) _____
- OD _____ +/- _____ OR WORKS IN _____
- ID _____ +/- _____ OR WORKS OVER _____
- HEIGHT (Ho) _____ +/- _____
- (h) _____

- (h/t) _____
- ARRANGEMENT TYPE A B C D
- STACK HEIGHT _____
- OPERATING TEMP _____ °F/ °C
- FINISH _____
- OTHER _____

QUANTITY TO QUOTE FOR _____

| | | |
|------------------|---------|----------------------|
| CUSTOMER NAME: | A/C No: | ENQUIRY TAKEN BY: |
| | | |
| | | DATE TO SUPPLIER: |
| CUSTOMER CONTACT | | |
| | | DATE PRICE RECEIVED: |
| TEL No: | EMAIL: | |